POPULATI ON ESTIMATE	S	LONG-TERM CARE LOCAL HEALTH DEPARTMENTS				
Total 2003 Population Population per square mile County ranking in state (21	Community Options and MA as HSRS reports costs for	r servi ces	Staffing - FTE Total staff	Per 10,000 Number Populatio 9.5 5.7	0 on
Age Femal e Mal e 0-14 1,390 1,460 15-19 530 650 20-24 370 420 25-29 320 330	Total 2, 860 1, 180 790	Clients COP 12 MA Waiver * CIP1A 4 CIP1B 53	\$132, 427 \$216, 821 \$1, 252, 836 \$154, 540	Total staff Administrative Public health nurses Other prof. staff Technical/Paraprof. Support staff	1. 3 0. 6 4. 0 2. 4 0. 4 0. 2 1. 0 0. 6 2. 8 1. 7	4 2 6 7
30-34 400 410 35-39 490 520 40-44 670 650	650 810 1, 010 1, 310	MA Wai ver * CI P1A	\$722, 118 \$0 \$0 \$2, 346, 316	Fundi ng Total \$6 Local Taxes \$3		
45-54 1, 310 1, 340 55-64 1, 110 1, 170	2, 650 2, 270	\$238,047 of the above	waiver costs	LI CENSED ESTA	BLI SHMENTS	
55-64 1, 110 1, 170 65-74 780 820 75-84 590 440 85+ 270 160 Total 8, 230 8, 370	1, 590 1, 030 430 16, 600	were paid as local match using COP funds. This a not included in above CO * Waiver costs reported	n/overmatch amount is OP costs.	Type Ca Bed & Breakfast Camps Hotels, Motels Tourist Rooming	pacity Facilitie 24 8 840 29 827 60 82 28	8 9 0
Age Female Male 0-17 1,710 1,830 18-44 2,460 2,610 45-64 2,420 2,510	Total 3, 550 5, 060 4, 920	include federal funding	g.	Pool s Restaurants Vendi ng	7 115 0	7 5
65+ 1, 640 1, 420 Total 8, 230 8, 370	3, 050 16, 600	Clients Eligible and Waiting 70 (Family Care not provided)		WIC PARTIC	IPANTS	
Poverty Estimates for 2000	(C I . /)		•		Numbe	or
Estimates (101 2000 Estimates (101 2000 (101 2000) (101	101 (6%) 45 (9%)	Note: Eligible and waiti will be phased into the Waivers as available.	ng clients e COP and MA	Pregnant/Postpartum Infants Children, age 1-4 Total	18	87 73 73
EMPLOYMENT				CANCER INCIDE	NCE (2002)	_
Average wage for jobs covered by unemployment compensation (place of work)	ł	Home Health Agencies Patients Patients per 10,000 pop	304 183	Pri mary Si te Breast Cervi cal Col orectal	14 0 3	4 0
Labor Force Estimates	Average	Nursing Homes Licensed beds Occupancy rate Residents on Dec. 31	2 160 82. 5%	Lung and Bronchus Prostate Other si tes Total	9 10 34 70	9 0 4
Civilian Labor Force Number employed Number unemployed Unemployment rate	597 7. 1%	Residents age 65 or old per 1,000 population	er	Note: Totals shown are invasive cancers	for	J

			NATA	JITY				
TOTAL LIVE BIRTHS Crude Live Birth Rate General Fertility Rat	te	183 11. 0 66. 1		Bi rths 74 51 37	Percent 40 28 20 11 0	Marital Status of Mother Married Not married Unknown	Bi rths 130 53 0	Percent 71 29 0
Live births with report congenital anomalies Delivery Type Vaginal after previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean	Births 1	1	1st Prenatal Visit 1st trimester 2nd trimester 3rd trimester No visits Unknown	Bi rths 157 21 2 2 1	Percent 86 11 1 1	Education of Mother Elementary or les Some high school High school Some college College graduate Unknown	18 79 51	Percent 1 10 43 28 18
Bi rthwei ght <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	Bi rths 5 11 167 0	Percent 2.7 6.0 91.3 0	Prenatal Visits No visits 1-4 5-9 10-12 13+ Unknown	Bi rths 2 6 40 91 43 1	Percent 1 3 22 50 23 1	Smoking Status of Mother Smoker Nonsmoker Unknown	Bi rths 50 133 0	Percent 27 73 0
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	Births Pe 174 1 7 0 0	ercent 95 1 4 0 0	Low Birthweight (under 2,500 gm) Births Percent 16 9.2 *	1st Tr Bi rths 151 * 5	Tri mest i mester Percent 87 71	er of First Prenatal 2nd Trimester Births Percent 19 11 * 1 14	Other/	'Unknown Percent 2 14
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+ Unknown		rtility Rate 19 38 153 194 88 22 8	Low Birthweight (under 2,500 gm) Births Percent	1st Tr Bi rths 47 54	Tri mest i mester Percent . 50 88 84 87 94 82 80	er of First Prenatal 2nd Trimester Births Percent	Other/	YUnknown Percent

MORBI DI TY			MOI	RTALLTY		
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (neonatal, and Perinatal and	(except in Dostneor Difetal de	nfant) are p natal death eath rates a	per 100,000 population. rates are per 1,000 li are per 1,000 live birt culated for fewer than	Infant, ve births. hs plus	
Di sease Number Campyl obacter Enteritis 5 Gi ardi asis <5 Hepatitis Type A 0 Hepatitis Type B** 5 Hepatitis NANB/C 9 Legi onnai re's 0 Lyme 21 Measl es 0 Meni ngi tis, Aseptic 0 Meni ngi tis, Bacterial 0 Mumps 0 Pertussis 0	TOTAL DEATHS Crude Death Ra Age 1-4 5-14 15-19 20-34 35-54 55-64 65-74 75-84	Deaths	Rate	Sel ected Underlying Cause Heart Di sease (total) I schemic heart di sea Cancer (total) Trachea/Bronchus/Lur Col orectal Femal e Breast Cerebrovascul ar Di sea Lower Resp. Di sease Pneumonia & Influenza Acci dents Motor vehicle	15e 26 38 19 11 3 1 1 15e 20 10 4 10 5	Rate 253 157 229 * 120
Sal monel I osi s Shi gel I osi s Tubercul osi s 0	85+ Infant	71	16, 515	Di abetes Infect./Parasi tic Dis Sui ci de	5. 2 3 3	
* 2003 provisional data. ** Includes all positive HBsAg test results.	Mortality Total Infant Neonatal Postneonatal Unknown	Deaths 3 3	Rate	* Based on female pop ALCOHOL AND DRUG ABUS OR CONTRIBUTING CA	SE AS UNDERLY	
Sexually Transmitted Disease Chlamydia Trachomatis 19 Genital Herpes <5 Gonorrhea <5 Syphilis 0	Race of Mother White Black Hispanic Laotian/Hmong Other/Unknown	3	· · · ·	Al cohol Other Drugs Both Mentioned * Includes tobacco us	se (see page :	7).
Children in Grades K-12 by Compliance Level Compliant 3, 102 Non-compliant 13 Percent Compliant 99.6	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown Perinatal Mortality Total Perinatal Neonatal Fetal	Doaths		Note: These data are of crash, not Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation: For OWI For Speeding Motorcyclist Bicyclist Pedestrian	on residence. Persons Per Injured Ki 179 29	
	Fetal	1	•	Bi cycl i st Pedestri an	0	0

AGE GROUP Number Pop (Days) Charge Capita	DI SEASE /		Per 1, 000	Average Stay	Average	Charge Per	TALIZATIONS DISEASE /		Per 1, 000	Average Stay	Average	Charge Per
Total 160 9 6 4 .0 \$10,444 \$101	AGE GROUP	Number	Pop	(Days)	Charge	Capi ta	AGE GROUP	Number	Pop	(Days)	Charge	Capi ta
Total 160 9 .6 4 .0 \$10,444 \$101	ni urv-Rel ated:	AI I					Al cohol -Rel atec	4				
18	Total	140	96	4 0	\$10,444	\$101			3 3	4 4	\$4,727	\$15
65+ 75 24.5 5.1 \$12,424 \$305 Total 72 4.3 3.5 \$6,060 \$26 Injury: Hip Fracture 16 65+ 14 6 65+ 14 6 65+ 14 6 65+ 14 6 65+ 14 6 65+ 15 65+ 18 12 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	<18	6	7. 0	1. 0	φ10, 111	ΨΙΟΙ			5.5	3 8	\$3, 232	
65+ 75 24.5 5.1 \$12,424 \$305	18-44	33	6.5	2.9	\$9.550	\$62	45-64	23	4 7	4.5	\$6, 247	
65+ 75 24.5 5.1 \$12,424 \$305 Total 72 4.3 3.5 \$6,060 \$26 Injury: Hip Fracture 16 65+ 14 6 65+ 14 6 65+ 14 6 65+ 14 6 65+ 14 6 65+ 15 65+ 18 12 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	45-64	46							,	0	ΨΟ, Σ	Ψ2,
Injury: Hip Fracture	65±	75	24 5	5. i	\$12 <i>424</i>				43	3.5	\$6,060	\$26
Total 16	Injury: Hin Fr	acture	24. 0	5. 1	Ψ12, 424	ΨΟΟΟ	-10	0			•	•
Injury: Poisonings	Total						45-64	11	•	•	•	•
Injury: Polsonings			-			•	45 04 65±	//0	16.0	3 8	\$6 558	\$105
Total 12			•	•	•	•			10. 0	5. 0	ψ0, 330	Ψ105
18-44 5	Total								2 7	3.6	\$8 734	\$23
Psychiatric	18_ <i>1/</i> /		•	•	•	•			۷. /	5. 0	ψυ, / υπ	Ψ23
Psychiatric Total 65 3.9 5.7 \$4,865 \$19	10-44	5	•	•	•	•	45-04 65 ₊	36	11 Q	3 6	\$7 1 <i>1</i> 5	\$2 <i>1</i>
Total 65 3.9 5.7 \$4,865 \$19	Devichi atri c										ψ7, 14J	ΨO4
<18	Total	65	3 0	5.7	\$4 965	¢10	Total	50 EUI	1011 at y 12	2 6	\$6,060	¢10
18-44		02	3. 7	5. 7	Φ4, 003	Ψ17					ФО, ОО Э	•
45-64 12		42	o 2	6 2	¢Ε Λ4Ε	¢ 4 2	10 11	4			•	
Coronary Heart Disease Total 97 5.8 2.7 \$13,431 \$78 45-64 29 5.9 2.5 \$19,189 \$113 65+ 64 20.9 2.8 \$10,754 \$225 Malignant Neoplasms (Cancers): All Total 63 3.8 4.0 \$10,895 \$41 18-44 22 45-64 24 4.9 4.3 \$13,992 \$68 65+ 37 12.1 3.8 \$8,938 \$108 Neoplasms: Female Breast (rates for female population) Total 5 5 Total 65+ 65+ 5 665+ 5 65+ 65+ 5 65+ 65+ 65+ 65+ 65+ 65+ 65+ 65+ 65+ 65+				0. 2	Φ 3, 003	•	10-44	10	•	•	•	•
Coronary Heart Disease Total 97 5.8 2.7 \$13,431 \$78 45-64 29 5.9 2.5 \$19,189 \$113 65+ 64 20.9 2.8 \$10,754 \$225 Malignant Neoplasms (Cancers): All Total 63 3.8 4.0 \$10,895 \$41 18-44 22 45-64 24 4.9 4.3 \$13,992 \$68 65+ 37 12.1 3.8 \$8,938 \$108 Neoplasms: Female Breast (rates for female population) Total 5 5 5 5 Total 349 21.0 3.6 \$6,662 \$140 Neoplasms: Colo-rectal 5 5 5 5 Total 349 21.0 3.6 \$6,662 \$140 Neoplasms: Lung 7				•	•		45-04	24	11 1	2 [.] 0	φ4 2EE	φ. 471
Total 97 5.8 2.7 \$13, 431 \$78 45-64 29 5.9 2.5 \$19, 189 \$113 65+ 64 20.9 2.8 \$10, 754 \$225	03+	0	•	•	•	•	Drug Dolated	34	11. 1	3. 9	Φ 0, 333	Φ/ I
Total	Caranary Haart D	iconco					Drug-kerated	10				
45-64	Joronary neart D	i sease	E 0	2.7	¢12 /21	¢70		19	•	•	•	•
65+ 64 20.9 2.8 \$10,754 \$225 Wal i gnant Neopl asms (Cancers): Al I Total 1,933 116.4 3.3 \$7,593 \$884 Total 63 3.8 4.0 \$10,895 \$41 48 214 60.3 2.2 \$2,911 \$175 18-44 2 45-64 422 85.7 3.5 \$9,574 \$821 45-64 24 4.9 4.3 \$13,992 \$68 65+ 874 285.7 3.5 \$9,574 \$821 Neopl asms: Femal e Breast (rates for femal e popul ation) 5 PREVENTABLE HOSPI TALI ZATI ONS*		97	3. o	2. / 2. F	\$13,431 ¢10 100		10-44	0	•	•	•	•
Malignant Neoplasms (Cancers): All Total 63 3.8 4.0 \$10,895 \$41 18-44 2 45-64 24 4.9 4.3 \$13,992 \$68 65+ 37 12.1 3.8 \$8,938 \$108 Neoplasms: Female Breast (rates for female population) Total 5 Total 65 Total 70 5.6 2.2 \$6,288 \$35 Total 66 8 10 5.							Total Haamitali	-a+: ana				
Walignant Neoplasms (Cancers): All	00+	64	20. 9	2. 8	\$10, 754	\$225	Total Hospitali	2011005	114 /	2 2	¢7 E02	¢004
Total 63 3. 8 4. 0 \$10, 895 \$41	Jalianana Nasala	(0-					lotai	1, 933	110.4	3. 3	\$7,593	\$884 ¢175
18-44	warignant weopia	sms (Ca	ncers):	ALI	¢10 00F	¢ 4.1	< 18		60.3	2. 2	\$2,911	
45-64	Total	63		4. 0	\$10, 895	\$4 I	18-44		83.5	2. 6	\$5, 903 \$0, 574	\$493 ¢021
65+ 37 12.1 3.8 \$8,938 \$108 Neopl asms: Femal e Breast (rates for femal e popul ati on) Total 5 . . . Total 349 21.0 3.6 \$6,662 \$140 Neopl asms: Col o-rectal .	18-44	2			#40 000	٠.	45-64		85. /	3.5	\$9,574	
Neopl asms: Female Breast (rates for female population)	45-64	24		4. 3	\$13, 992		65+	8/4	285. /	3.8	\$8, 60 I	\$2, 458
Total 5				3.8	\$8, 938			SEVENTABLE	LICODIT		NIO +	
Neopl asms: Col o-rectal	Neopiasms: Fem	are Bre	ast (ra	tes for	remale po	pulation)						
Total 6 18-44 29 5. 7 2. 4 \$4,829 \$28 65+ 5 45-64 64 13. 0 3. 4 \$6,913 \$90 Neopl asms: Lung Total 10 65+ 236 77. 2 3. 9 \$6,851 \$529 Di abetes Total 30 1. 8 4. 9 \$8,480 \$15 * Hospi tal i zations for conditions where timely and effect ambulatory care can reduce the likelihood of hospi tal i zations for conditions where timely and effect ambulatory care can reduce the likelihood of hospi tal i zations for conditions where timely and effect ambulatory care can reduce the likelihood of hospi tal i zations for conditions where timely and effect ambulatory care can reduce the likelihood of hospi tal i zations for conditions where timely and effect ambulatory care can reduce the likelihood of hospi tal i zations for conditions where timely and effect ambulatory care can reduce the likelihood of hospi tal i zations for conditions where timely and effect ambulatory care can reduce the likelihood of hospi tal i zations for conditions where the likelihood of hospi tal i zations for conditions where the likelihood of hospi tal i zations for conditions where the likelihood of hospi tal i zations for conditions where the likelihood of hospi tal i zations for conditions where the likelihood of hospi tal i zations for conditions where the likelihood of hospi tal i za				•		•			21.0	3.6		\$140
65+ 5 .	Neoplasms: Col						<18	20			\$6, 288	\$35
Neoplasms: Lung Total 10							18-44	29				\$28
Total 10				•			45-64					
* Hospitalizations for conditions where timely and effect Total 30 1.8 4.9 \$8,480 \$15 ambulatory care can reduce the likelihood of hospitalizat	Neoplasms: Lun	g .					65+	236	77. 2	3. 9	\$6, 851	\$529
Diabetes Total 30 1.8 4.9 \$8,480 \$15 65+ 15	Total	10		•								
Total 30 1.8 4.9 \$8,480 \$15 ambulatory care can reduce the likelihood of hospitalizat	Di abetes						 * Hospitalizations	for cond	i ti ons	where ti	mely and	effecti v
65+ 15		30	1. 8	4. 9	\$8, 480	\$15	ambulatory care ca	an reduce	the lik	el i hood	of hospi	tal i zati d
	65+	15			,			2 2 2 2 2	• •		1	